

Mental Health, Substance Use and related outcomes Franklin County 2011

This report provides a summary of current prevalence and trends in Mental Health, substance use and related outcomes for Franklin County, Mississippi.

Socio economic and Demographic Estimates

Total population 2000: 8448 Total Population 2010: 8118 %Females: 51.4	Population % change: -3.9
Race/Ethnicity % White: 64.8 % Black/African American: 34.4 % Asian: 0.1 %American Indian: 0.2 % Native Hawaiian: 0 % Hispanic Origin : 0.6 % Population not English Proficient :0.8	Socio-Economic Indicators % Rural: 100 Median household Income: 32044 % Below poverty level: 21.5 % Children in Single parent hhds:32 % Children in Poverty : 31 % on Free Lunch: Unemployment Rate: 11.4 High School Graduation (AGFR): 65 *County Health Rankings (2011) Health Factors: 50 Health outcomes: 17
Age Distribution Median Age: % <5 years age: 6.8 % <18 yrs age: 25.2 % Age >=65: 16.2 Veteran population (2005-2009): 492	

Mental Health Indicators

Mean reported mentally unhealthy days per month: 3.5 % adults without emotional or social support: ***	

Substance Abuse and Dependence

Adolescents Past 30 day use Adolescents (2010) Alcohol: *** Tobacco: *** Marijuana: *** Prescription drugs: *** Other Illicit drugs: ***	Rank highest Prevalence (1) to lowest (82) Alcohol Rank: *** Tobacco Rank: *** Marijuana Rank: *** Prescriptions Rank: *** Illicit Drugs Rank: ***	Adults % Adult Current Smokers: % Excessive Drinking: 13 % Binge Drinkers: 13 % Past 30 day use of ATOD 12 or older:
--	--	---

Total Substance Abuse Treatment Admissions (2010):13

Alcohol: **2** Marijuana: **2** Methamphetamine: **3**
Heroin: **0** Cocaine: **1** Other Opiates: **3**

Perception of Risk of harm among 6th-11th grade students

	slight/ moderate risk	Great risk
Taking one or 2 drinks nearly everyday	***	***
Trying one or 2 drinks of alcohol	***	***
Take four or five drinks nearly everyday	***	***
5+ Drinks once or twice each weekend	***	***
1 or more packs of cigarettes per day	***	***
Use smokeless Tobacco regularly	***	***
Try marijuana once or twice	***	***
Smoke marijuana occasionally	***	***
Smoke marijuana regularly	***	***
Try cocaine powder once or twice	***	***
Try crack cocaine once or twice	***	***
Try cocaine powder occasionally	***	***
Try cocaine powder regularly	***	***
Try crack cocaine occasionally	***	***
Try crack cocaine regularly	***	***

Perceptions of use by peers

Percent Reporting use by at least one of their friends

Alcohol: ***

Tobacco: ***

Other Drugs: ***

Personal Approval

Percent reporting use is very wrong or wrong

Alcohol: ***

Tobacco: ***

Other Drugs: ***

Marijuana: ***

Perceived Parental Approval

Percent reporting use is very wrong or wrong

Alcohol: ***

Tobacco: ***

Marijuana: ***

Other Health Behaviors and Outcomes

% Adults reporting poor or fair health: 31
Mean physically unhealthy days/month: 5.9
Incidence rate of Liver Cancer(2004-2008) :
% Low birth weight: 12
Teen birth rate per 1000 female (15-19) : 52
HIV Rate: 174
Adult obesity: 37

**Years of potential life lost before age 75 per 100,000 population

Crime

Homicides per 100,000 populations: 7
Total Juvenile Arrests:86

Mortality and Injury

Premature death**: 8850
2011 MVC death rate/100,000: 31
Suicide related deaths:

Health care

Mental Health Region:11
% Uninsured Adults: 31
Medicare Enrollees: 1230
Number of Mental Health Providers:0

Data Sources:

Census Bureau, 2010; MS Department of Mental Health Substance Abuse Treatment data;
Robert wood Johnson Foundation, 2011 County health ranking data
Mississippi Smarttrack Survey, 2010

Note: All rates are per 100000. Rates are age-adjusted to the 2000 U.S. Standard Million Population.

Data accessed November 29, 2011. Based on data released February 8, 2011.

~ Counts are suppressed if fewer than 5 cases were reported in the specified category.

*** Counts < 15 are too few to calculate a stable age-adjusted rate.

The population estimates for 2005 are adjusted to account for population shifts due to Hurricane Katrina.

For more information on the population adjustments